

hydrogen.

7. (Amended) A compound according to claim 2 wherein R<sup>6</sup> is hydrogen, halogeno, amino, carboxy, hydroxy, C<sub>1-7</sub>alkoxy or a group Y<sup>4</sup>R<sup>35</sup> (wherein Y<sup>4</sup> is -C(O)-, -O- or -OSO<sub>2</sub>- and R<sup>35</sup> is C<sub>1-7</sub>alkyl, C<sub>1-7</sub>alkoxy (which alkyl or alkoxy may bear one or more substituents selected from halogeno), R<sup>48</sup> (wherein R<sup>48</sup> is a benzyl group) or R<sup>53</sup> (wherein R<sup>53</sup> is a 5-6-membered saturated heterocyclic group (linked via carbon or nitrogen) with 1-2 heteroatoms selected independently from O, S and N)).

8. (Amended) A compound according to claim 2 wherein R<sup>6</sup> is hydrogen, C(O)OCH<sub>3</sub> or methoxy.

9. (Amended) A compound according to claim 2 wherein R<sup>5</sup> is hydrogen, halogeno, amino, carboxy, carbamoyl, C<sub>1-7</sub>alkanoyl, C<sub>1-7</sub>thioalkoxy, or a group -Y<sup>4</sup>R<sup>35</sup>

(wherein Y<sup>4</sup> is -C(O)-, -OC(O)-, -O-, -SO-, -OSO<sub>2</sub>-, -NR<sup>36</sup>-, -NR<sup>37</sup>C(O)- or -C(O)NR<sup>38</sup>-

(wherein R<sup>36</sup>, R<sup>37</sup> and R<sup>38</sup>, which may be the same or different, each represents hydrogen, C<sub>1-3</sub>alkyl or C<sub>1-3</sub>alkoxyC<sub>1-3</sub>alkyl) and

R<sup>35</sup> is a sugar moiety, a mono-peptide, a di-peptide, a tri-peptide, a tetra-peptide, C<sub>1-7</sub>alkyl, C<sub>1-7</sub>alkoxy, C<sub>1-7</sub>alkanoyl, C<sub>1-7</sub>alkanoylaminoC<sub>1-7</sub>alkyl,

Conc  
Al  
(which alkyl, alkoxy, alkanoyl, alkanoylaminoalkyl may bear one or more substituents selected from:

halogeno, amino, hydroxy, carboxy, and a group  $-Y^5R^{40}$  (wherein  $Y^5$  is  $-C(O)-$  O- or  $-O-C(O)-$  and  $R^{40}$  is  $C_{1-7}$ alkyl or a group  $R^{43}$  wherein  $R^{43}$  is a benzyl group),

$R^{48}$  (wherein  $R^{48}$  is a phenyl group, a benzyl group or a 5-10-membered aromatic heterocyclic group (linked via carbon or nitrogen) with 1-4 heteroatoms selected independently from O, N and S, which phenyl, benzyl or aromatic heterocyclic group may bear one or more substituents selected from

hydroxy, fluoro, amino,  $C_{1-4}$ alkoxy,  $C_{1-4}$ hydroxyalkyl,  $C_{1-4}$ aminoalkyl,  $C_{1-4}$ alkylamino, di( $C_{1-4}$ alkyl)amino, di( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, di( $C_{1-4}$ hydroxyalkyl)amino  $C_{1-4}$ alkyl, di( $C_{1-4}$ aminoalkyl)amino  $C_{1-4}$ alkyl,  $C_{1-4}$ hydroxyalkoxy, carboxy,  $C_{1-4}$ carboxyalkyl, cyano,  $-CONR^{49}R^{50}$ ,  $-NR^{51}COR^{52}$  (wherein  $R^{49}$ ,  $R^{50}$ ,  $R^{51}$  and  $R^{52}$ , which may be the same or different, each represents hydrogen,  $C_{1-3}$ alkyl or  $C_{1-3}$ alkoxy $C_{2-3}$ alkyl) and  $C_{1-4}$ alkyl $R^{53}$  (wherein  $R^{53}$  is as defined herein),

$C_{1-7}$ alkyl $R^{48}$  (wherein  $R^{48}$  is as defined herein),

$R^{53}$  (wherein  $R^{53}$  is a 5-6-membered saturated heterocyclic group (linked via carbon or nitrogen) with 1-2 heteroatoms, selected independently from O, S and N, which heterocyclic group may bear 1 or 2 substituents selected from

oxo, hydroxy, fluoro, chloro, alkyl,  $C_{1-4}$ hydroxyalkyl,  $C_{1-4}$ alkoxy,  $C_{1-4}$ carboxyalkyl,  $C_{1-4}$ aminoalkyl, di( $C_{1-4}$ alkyl)amino  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy  $C_{1-4}$ alkyl,  $C_{1-4}$ alkylsulphonyl  $C_{1-4}$ alkyl and  $R^{54}$  (wherein  $R^{54}$  is a 5-6-

membered saturated heterocyclic group (linked via carbon or nitrogen) with 1-2 heteroatoms, selected independently from O, S and N, which heterocyclic group may bear 1 or 2 substituents selected from

oxo, hydroxy, halogeno, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>hydroxyalkyl, C<sub>1-4</sub>alkoxy, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl and C<sub>1-4</sub>alkylsulphonyl C<sub>1-4</sub>alkyl)), or

(CH<sub>2</sub>)<sub>a</sub>Y<sup>6</sup>(CH<sub>2</sub>)<sub>b</sub>R<sup>53</sup> (wherein R<sup>53</sup> is as defined herein, a is 0, or an integer 1-4, b is 0 or an integer 1-4 and Y<sup>6</sup> represents a direct bond, -O-, -C(O)-, -NR<sup>55</sup>-, -NR<sup>50</sup>C(O)- or -C(O)NR<sup>57</sup>- (wherein R<sup>55</sup>, R<sup>56</sup>, and R<sup>57</sup>, which may be the same or different, each represents hydrogen, C<sub>1-3</sub>alkyl or C<sub>1-3</sub>alkoxyC<sub>2-3</sub>alkyl), and wherein one or more of the (CH<sub>2</sub>)<sub>a</sub> or (CH<sub>2</sub>)<sub>b</sub> groups may bear one or more substituents selected from hydroxy, amino and halogeno));

with the proviso that R<sup>5</sup> is not alkoxy, substituted alkoxy (wherein R<sup>5</sup> is Y<sup>4</sup>R<sup>35</sup> and Y<sup>4</sup> is -O- and R<sup>35</sup> is C<sub>1-7</sub>alkyl bearing one or more substituents selected from the list given herein), -O- C<sub>1-7</sub>alkanoyl or benzyloxy.